Canadian Council of Ministers of the Environment



Users are advised to consult the Canadian Environmental Quality Guidelines introductory text, factsheet, and/or protocols for specific information and implementation guidance pertaining to each environmental quality guideline.

## Dichlorophenols

Parameter 1: ORGANIC Parameter 2: Monocyclic aromatic compounds Parameter 3: Chlorinated phenols

Water Quality for the Protection of Aquatic Life

## Freshwater

Concentration (µg/L)	0.2
No fact sheet created. For more information on this guideline, please refer to Canadian Water Quality Guidelines (CCREM 1987).	
Date	1987
Marine	
Concentration (µg/L)	No data
Date	No data
Water Quality for the Protection of Agriculture	

## Irrigation

Concentration (µg/L)	No data
Data are sufficient and adequate to calculate only a Soil Quality Guideline for Environmental health (SQG <sub>E</sub> ), which is less than the existing interim soil quality criterion (CCME, 1991) for this land use. Therfore the SQG <sub>E</sub> becomes the soil quality guideline, which supersedes the interim soil quality criterion for this land use.	
In-site specific situations where the size and/or location of commercial and industrial land uses may impact primary, secondary or tertiary consumers, the soil and food ingestion guideline is recommended as the Soil Quality Guideline for Environmental health (SQG <sub>E</sub> )	
For guidelines derived prior to 2004, differentiation between soil texture (coarse/fine) is not applicable.	
Date	No data
Livestock	

Concentration (μg/L) Date	No data No data
Sediment Quality for the Protection of Aquatic Life	
Freshwater	
Concentration (μg/kg dry weight) - ISQG Concentration (μg/kg dry weight) - PEL Date	No data No data No data
Marine	
Concentration (μg/kg dry weight) - ISQG Concentration (μg/kg dry weight) - PEL Date	No data No data No data
Soil Quality for the Protection of Environmental and Human Health	
Concentration (mg/kg dry weight) - Agricultural Chlorophenols include chlorophenol isomers (ortho, meta, para) dichlorophenols (2,6- 2,5- 2,4- 3,5- 2,3- 3,4-) trichlorophenols (2,4,6- 2,3,6- 2,4,5- 2,3,4- 3,4,5-) tetrachlorophenols (2,3,5,6- 2,3,4,5- 2,3,4,6-)	0.05
Concentration (mg/kg dry weight) - Residential / parkland Chlorophenols include chlorophenol isomers (ortho, meta, para) dichlorophenols (2,6- 2,5- 2,4- 3,5- 2,3- 3,4-) trichlorophenols (2,4,6- 2,3,6- 2,4,5- 2,3,4- 3,4,5-) tetrachlorophenols (2,3,5,6- 2,3,4,5- 2,3,4,6-)	0.5
Concentration (mg/kg dry weight) - Commercial Chlorophenols include chlorophenol isomers (ortho, meta, para) dichlorophenols (2,6- 2,5- 2,4- 3,5- 2,3- 3,4-) trichlorophenols (2,4,6- 2,3,6- 2,4,5- 2,3,4- 3,4,5-) tetrachlorophenols (2,3,5,6- 2,3,4,5- 2,3,4,6-)	5
Concentration (mg/kg dry weight) - Industrial Chlorophenols include chlorophenol isomers (ortho, meta, para) dichlorophenols (2,6- 2,5- 2,4- 3,5- 2,3- 3,4-) trichlorophenols (2,4,6- 2,3,6- 2,4,5- 2,3,4- 3,4,5-) tetrachlorophenols (2,3,5,6- 2,3,4,5- 2,3,4,6-)	5
Date	1991
Fissue Residue Quality for the Protection of Widlife Consumer of Aquatic Biota	
Concentration (µg/kg diet wet weight) Date	No data No data